

Convenient. Effective.

# RECOMBITEK® KC2

Designed to be administered intranasally for convenient, rapid vaccination against canine upper respiratory tract infection due to *Bordetella bronchiseptica* and canine parainfluenza virus.



## Benefits of the RECOMBITEK® KC2 Vaccine

- Effective against two organisms that are widespread, common etiologic agents of Canine Infectious Respiratory Disease Complex (CIRDC)<sup>1,2</sup>
- Intranasal route of vaccination mimics the pathogenesis of natural field infection<sup>1</sup>
- Can be incorporated for use in your protocol for at-risk dogs in alignment with the current American Animal Hospital Association (AAHA) canine vaccination guidelines<sup>3</sup>
- 0.5 mL vaccine option is designed for comfort<sup>†</sup>



RECOMBITEK® KC2 means dual protection.



**SAFE FOR USE IN PUPPIES**  
as young as 3 weeks of age.<sup>1</sup>

\*If administered at 3 weeks, a booster dose at 8 weeks of age may be recommended.

<sup>†</sup>Rehydrate to desired dose volume with accompanying sterile diluent. For 0.5 mL dose, reconstitute with 0.5 mL diluent. For 1 mL dose, reconstitute with 1 mL diluent.



# RECOMBITEK® KC2:

Fast, flexible protection to meet individual pet's needs

## RECOMBITEK KC2

Effective against two common respiratory pathogens



VACCINE TYPE	Mucosal (intranasal)
EFFECTIVE AGAINST	<ul style="list-style-type: none"><li>• <i>Bordetella bronchiseptica</i> (avirulent live culture)</li><li>• Canine parainfluenza virus (modified live virus)</li></ul>
AGE FOR INITIAL ADMINISTRATION	May be administered as early as 3 to 4 weeks of age in puppies at risk of exposure to infected dogs <sup>3</sup>
PRESENTATION	25 x 1 dose tray



## MUCOSAL VACCINES PROVIDE:

- Well-documented efficacy<sup>3</sup>
- Fast onset of protection without the need for a booster 2 to 4 weeks after initial vaccination<sup>3</sup>
- Optimal local production and secretion of IgA, the antibody primarily associated with mucosal immunity<sup>4</sup>



\*If administered at 3 weeks, a booster dose at 8 weeks of age may be recommended.



To learn more, contact your Boehringer Ingelheim representative or call Customer Care at 1-888-637-4251.

**References:** 1. RECOMBITEK KC2 product label. 2. Reagan KL, Sykes JE. Canine infectious respiratory disease. *Vet Clin North Am Small Anim Pract.* 2020 Mar;50(2):405-418. 3. Ellis J, Marziani E, Aziz C et al. 2022 AAHA Canine Vaccination Guidelines. *J Am Anim Hosp Assoc.* 2022;58(5):213-230. doi:10.5326/jaaha-ms-canine-vaccination-guidelines. 4. Ellis JA, Gow SP, Waldner CL, et al. Comparative efficacy of intranasal and oral vaccines against *Bordetella bronchiseptica* in dogs. *Vet J.* 2016 Jun;212:71-7.



RECOMBITEK® is a registered trademark of Boehringer Ingelheim Animal Health USA Inc.  
©2026 Boehringer Ingelheim Animal Health USA Inc., Duluth, GA. All rights reserved.  
US-PET-0682-2020-V3

